







## DESIGNED WITHOUT COMPROMISE.

RELIABLE, CAPABLE YET AFFORDABLE. HELPING YOUR BUSINESS GROW.

Mahindra. Unleash the Explorer in You.











### THE XUV300 #XPREZ PANEL VAN

# WHILE YOU TURN SOME HEADS, TURN SOME PROFIT

Who says you can't work in style and comfort. Our XUV 300 XPREZ is a workhorse that looks like a thoroughbred. It's been designed to not just have the looks but the accessibility and convenience you need to power your business. An impressive load capacity and a host of safety features means you can stay relaxed about delivering on your business promises. If you know where your business is ready to go, your fist stop should be Mahindra.





XUV300 PANEL VAN	
ENGINE, DRIVETRAIN & PERFOMANC	E
Engine	TCMPFI 1.2 L
Capcacity (cc)	1197
Engine configuration	In-line 3
Bore and stroke (mm)	76 x 88
Compression ratio	9.5 : 1
Turbocharger	With
Emmission	Euro2
Fuel system	Petrol
Valve mechanism	12valve
Power (kW@rpm)	81 kW @ 5000 rpm
Torque (Nm@rpm	200Nm @ 2000-3500 rpm
Fuel consumption (combined cycle)	6,33 L/100km
CO2 (g/km)	151 g/km
Front Suspension	Macpherson
Rear Suspension	Torsion bar
Front Brakes	Disc
Rear Brakes	Disc
Drive wheels	Front
Transmission	6МТ

EXTERIOR	
Front Bumper	Colour
Headlamps	Halogen
Fog lamps	Without
Rear Bumper	Colour, Black
Front grille	Black
Door handles	Colour
Side rear view mirrors	Colour, Elec
Roof	Std
Roof rail	Without
Roof spoiler	Without
Wheels	205/65 R16 Steel
Spare wheel	205/65 R16 Steel
Spare wheel location	In boot

DIMENSIONS & CAPACITIES	
Length (mm)	3995
Width (mm)	1821
Height (mm)	1617
Wheelbase (mm)	2600
Track front (mm)	1550
Track rear (mm)	1563
Ground clearance (mm)	200
Fuel tank (litres)	42
Gross Vehicle Mass (GVM) (kg)	1750
Gross Combination Mass (GCM) (kg)	2500
Tare / Kerb Mass (kg)	1427
Towing capacity (kg)	750

XUV300 F	PANEL VAN
INTERIOR, COMFORT & CONVENIENC	E
Seat capacity	2
Front seats	Fabric, Manual, Slide, recline
Front seat belts	ELR, P/T, L/Limiter
Front headrests	With, up-dwn
Rear seats	Without
Rr Seatbelts	Without
Inside Rear view mirror	Day-Night
Room lamp	Rr
Windows	Elec
Steering wheel	Urethane
Steering wheel adjustments	Tilt
Steering switches	Without
Sunvisor	With, w/o mirror
Air conditioner	With
Audio	3.5"
Speakers	4
Bluetooth	With
USB	With
Aux	With
Navigation	Without
Android Auto	Without
Carplay	Without
Cruise control	Without
Overhead console	Without
Arm rest	Without
Rear Demister	Without
Front Windscreen wipers	1-touch
Rear wipers	Without
Power steering	EPS
Power socket	12V
Tyre Pressure Monitoring	Without
Parking Assist	Rr Sonar
Package Tray	With

XUV300 PANEL VAN	
SAFETY	
Airbag qty	2
Front Airbags	D+P
Knee airbag	Without
Rear Airbags	Without
Side airbags	Without
Curtain airbags	Without
Passenger A/B deactivation sw	With, lamp
Anti-theft system	Immobilizer
Isofix	Without
Parking Brake	Lever
Seatbelt warning	With, D+P
ABS	With
Brake Assist	Without
EBD	With
Hill Assist	Without
Traction / Stability Control	Without

COLOURS	
Pearl White	Std
DSat Silver	Std
Dynamic Red	Std
Aquamarine	Std

WARRANTY & SERVICE INFORMATION	
Warranty 5 Years / 150 000 kms	
Service plan	3yr/50 000 km


Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available please consult this specification sheet or your dealer for more information. \*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.





## THE LEGENDARY MAHINDRA GAMEVIEWER

THE MAHINDRA GAMEVIEWER SEATS 9 (+2 FOR DRIVER AND GUIDE) AND IS AVAILABLE IN VARIOUS



#### **MEET THE GAME CHANGER**

Superior technology and specs make our game viewer vehicle a common sighting on South Africa's reserves. Check out the specs for yourself and compare the costs. Reliability is key when you are out in the bush and our vehicles will always give you the peace of mind you deserve. Order the standard models or tell us how you would like to customize your vehicle to suit your business.

PIK UP SC 4X2 S4 AND PIK	UP SC 4X4 S4 GAMEVIEWER
TECHNICAL	
Engine type/asperation	2.2m Hawk turbo diesel
Engine capacity	2179cc
Displacement/number of cylinders	4 cylinders
Fuel injection type	Common rail
Bore x stroke	85 mm x 96 mm
Compression ratio	15.5:1
Fuel type	Diesel
Power rating	103 kW @ 3750 rpm
Torque rating	320 Nm @ 1500-2800 rpm
Drive type	Optional 4X2 or 4x4
Gearbox type/transmission	6 Speed manual
Mechanical differential lock	Rear axle MLD
Brake type	Front - Disc Rear - Drum
Tyre size	245/75 R16
Spare wheel size	245/75 R16
Suspension front	Double wishbone with torsion bar
Suspension rear	Rigid leaf spring
Fuel tank capacity	80 L
Gcm	5650
Gvm	3150
Towing capacity - braked	2500 kg
Towing capacity unbraked	750 kg
Overall length	5175 mm
Overall width	1820 mm
Wheel base	3040 mm
Ground clearance	210 mm



PIK UP SC 4X2 S4 AND PIK UP SC 4X4 S4 GAMEVIEWER	
FEATURES	
Front fog lamps	•
Dual projector headlamps	-
High level brake light	•
Colour coded bumpers	•
Colour coded mirrors	•
Colour coded door handles	Manual
Mud flaps	•
Side steps	
Internally adjusted ORVM	Manual

COMFORT & CONVENIENCE	
Air conditioner (Manual/electronic control)	Heater only
Heated rear window demister	n/a
Power windows front/back	-
Power steering	•
Tiltable steering	•
Central locking	-
12V Charging points	•
Integrated audio system with USB and AUX	-
Door speakers	-
Navigation system	-
Tyretronics	-
Cruise control	-
Steering mounted audio and cruise control	-
Swivel interior reading lamps	•
Remote fuel cap (electrically/key)	-
Adjustable headrests (rear/front)	•
Upholstery	Vinyl
Illuminated keyring	•

TECHNOLOGY	
Reverse camera	-
Digital immobiliser	•
Follow me home headlamps	-
Light sensing headlamps	-
Static bending headlamps	-







PIK UP SC 4X2 S4 AND PIK UP SC 4X4 S4 GAMEVIEWER		
SPECIAL FITMENTS		
Fold down windscreen		
False dashboard with riptop canvas		
Door panel according to conversion		
Standard front seats trimmed with riptop canvas		
Open front cab conversion		
Rubberised the cap		
Roll over compliant high roll cage		
One piece roof trimmed with riptop canvas		
9 separated rear bucket seats, trimmed		
Book and binoculars pockets		
2 rear body cut outs		
Rubberised load box		
9 lapbelt safety belts		
Fire extinguisher		
Optional: marine ply roof		
Optional: riptop canvas roll down sides		
Optional: 12V plug points inside cab		
Optional: spare wheel fitted in back of cage		

SAFETY	
Anti-locking braking system (ABS)	-
Electronic brake distribution (EBD)	-
Electronic stability program (ESP)	-
Hill hold and hill descent control	-
Seat belt pretensioner	-
Air bags (driver/passenger/side/curtain)	-
Seat belt reminders	•

WARRANTY & SERVICE INFORMATION	
Warranty	4 years/120 000 km
Service plan	Optional
Service intervals	20 000 km
Roadside assistance	4 years/120 000 km

#### USP'S

Fold down windscreen
Seating 9 + 2 with safety belts
Book and binocular pockets
One piece roof trimmed with ripstop canvas
Rubberised load box

Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available please consult this specification sheet or your dealer for more information. \*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

### **SOUTH AFRICA'S MINING VEHICLE**

FITTED WITH A SET OF 24 DURABLE WHEEL NUT INDICATORS, ALONG WITH THE RELIABILITY OF THE 245/75R16 TYRE SIZE AND A MINIMUM GROUND CLEARANCE OF 210MM





Developed, designed and fitted to suit South African conditions and regulations. We know how strict the safety regulations are in our country and every requirement has been met in our vehicles to satisfy the needs of open cast mining and largescale construction operations.

Durability, reliability and

affordability combine
to make Mahindra a great
choice for commercial mining.

#### **CUSTOMISED AS STANDARD FOR MINING AND INDUSTRY**

MAHINDRA'S LEGENDARY 2.2L MHAWK TURBO-DIESEL ENGINE WITH 6-SPEED MANUAL TRANSMISSION INCREASED POWER - 103KW AND HIGHER TORQUE - 320NM



NEW 8TH GENERATION TURBOCHARGER DRAMATICALLY IMPROVES PERFORMANCE AND FUEL CONSUMPTION ON AND OFF THE ROAD (7.8L/100KM) FACTORY FITTED TOWBAR WITH TOWING CAPACITY OF 2.5T





HEAVY DUTY SEAT COVERS FOR INCREASED WEAR AND TEAR

12V CHARGING POINTS IN FRONT AND BACK ROWS





SAFETY FEATURES INCLUDE DRIVER AND PASSENGER AIRBAGS



#### **HEAVY-DUTY ROLL-OVER PROTECTION WITH ROOF-MOUNTED LIGHT BAR AND LASER-CUT** STEEL PROTECTION SCREEN



SECURE, LOCKABLE FIRST AID KIT AND COVID-19 KITS

#### **DESIGNED WITHOUT COMPROMISE**



**COVID-19 KIT INCLUDED AT NO EXTRA** COST



**8KG FIRE EXTIN-**GUISHER







RUBBERISED LOAD BAY WITH CARGO NET RED, WHITE AND YELLOW SAFETY DECA- BAR LING

**REVERSE BUZZER ROOF-MOUNTED LIGHT** 

FIRE EXTINGUISHER, FIRT-AID KIT, COVID KIT WHEEL NUT INDICATORS AND STOP BLOCKS

PIK UP SC 4X4 S6 AND PIK UP DC 4X4 S6 MINING	
TECHNICAL	
Engine capacity	2179 cc
Number of cylinders	4
Fuel type	Diesel
Aspiration	Turbocharger
Fuel injection type	Common rail
Bore x stroke	85 x 96 mm
Compression ratio	16.5:1
Power output	103 kW @ 3750 r/min
Torque output	320 Nm @ 1500-2800 r/min
Fuel consumption - combined	7.9 l/100km (4WD)
CO <sub>2</sub> Emission	211 gm/km (4WD)
Emission - Euro stage	Euro 2
Drive type	2WD & 4WD
Transmission	6-speed manual
Low range	on 4WD
Mechanical differential lock	Rear axle MLD
Wheel rim size	6.5J X 16"
Tyre size	245/75R16
Spare wheel	Full size spare
Spare wheel lock	Yes
GCM	5650 kg
GVM	3150 kg
Payload	995 kg (4WD)
Legal towing weight - braked	2500 kg
Legal towing weight - unbraked	750 kg
Overall length	5175 mm
Overall width	1820 mm
Overall height (unladen)	1915 mm
Minimum ground clearance	210 mm
Wheelbase	3040 mm
Track - front	1450 mm
Track - rear	1450 mm
Approach angle	34º
Breakover angle	18º
Departure angle	15⁰
Fuel tank capacity	80 litres
Turning circle radius	6.7 m
Load area (length x width x depth)	1489 X 1520 X 550 mm

per assentie: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available please consult this specification sheet or your dealer for more information. \*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.

PIK UP SC 4X4 S6 AND	PIK UP DC 4X4 S6 MINING
FEATURES	
Front fog lamps	•
Dual projector headlamps	•
High-level brake light	•
Heated rear window	-
Colour-coded bumpers	•
Colour-coded mirrors	•
Colour-coded door handles	•
Mud flaps	•
Side step	•
Integrated bonnet scoop	•
Side mouldings	•
Rubberised load bin	•
External ROPS	•
Mining spec kit	•
Fire Extinguisher	•
Heavy-duty seat covers	•
First aid kit	•
COVID-19 kit	•

COMFORT & CONVENIENCE	
Air conditioner	Manual
Heated rear window/demister	•
Power windows	•
Electric mirrors	•
Power steering	•
Tiltable steering	•
Central locking	•
Keyless entry	•
12V charging points - front and rear	•
Integrated audio system with USB and auxiliary	
Swivel interior reading lamps	•
Headrests	•
Upholstery	Fabric
Illuminated key ring	•
Swivel interior reading lamps	•
Remote fuel cap (electrically/key)	•
Adjustable headrests (rear/front)	•
Upholstery	Fabric
Illuminated keyring	•

PIK UP SC 4X4 S6 AND PIK UP DC 4X4 S6 MINING	
SAFETY	
Anti-lock Braking System (ABS)	•
Electronic Brake Distribution (EBD)	•
Seat belt pretensioner	•
Air-bags (driver/passenger)	•
Side impact protection bars	•
Collapsible steering column	•
Seat belt reminder	•
Auto-locking doors	•

TECHNOLOGY	
Micro hybrid (Start/stop)	•
Digital immobilser	•
Follow me home headlamps	

WARRANTY & SERVICE INFORMA- TION	
Warranty	4-Years/120000 km
Service plan	5-Years/90000 km
Service intervals	20000 km
1st service 10000 km, thereafter every 20000 km (with Maximile Oils)	
Roadside Assistance	4-Years/120000 km



DURABILITY, RELIABILITY AND AFFORDABILITY
COMBINE TO MAKE MAHINDRA A GREAT
CHOICE FOR MINING



Saving lives is something we take seriously. Our vehicles are specifically designed to render the absolute maximum capabilities in terms of aiding paramedics to perform their duties. Our vehicles are customizable to suit your requirements. Compare our value with anyone else and you'll be pleasantly surprised.

#### **DESIGNED TO HELP PARAMEDICS PERFORM**

VERTICALLY STORED SPINE BOARD PA SYSTEM WITH SIREN











INTERIOR PATIENT CABIN FITTED WITH LIGHTING, SHOCK PROOF ANTI-SKID FLOORING, 12V POWER SUPPLY, AND SEATING WITH STORAGE CUPBOARDS

INTERCOM BETWEEN DRIVER AND PATIENT CABIN

AMBULANCE DECALS AND SLIDING WINDOWS WITH 4MM TOUGHENED FROSTED ARMOUR PLATE GLASS

### **CUSTOMISED TO SAVE LIVES**







MUD FLAPS AND SIDE STEP HEATED REAR WINDOW DEMISTER REAR FOOTSTEP AND RAMP AUTO-LOCKING DOORS INTERGRATED BONNET SCOOP FOG LAMPS

PIK UP SC S6 4	X2 AMBULANCE
TECHNICAL	
Engine type/asperation	2.2m Hawk turbo diesel
Engine capacity	2179 cc
Displacement/number of cylinders	4 cylinders
Fuel injection type	Common rail
Bore x stroke	85mm x 96 mm
Compression ratio	15.5:1
Fuel type	Diesel
Power rating	103 kW @ 3750 rpm
Torque rating	320 Nm @ 1500-2800 rpm
Driver type	4x2
Gearbox type/transmission	6 Speed manual
Mechanical differential lock	Rear axle MLD
Brake type	Front - disc Rear - drum
Tyre size	245/75 R16
Spare wheel size	245/75 R16
Suspension front	Double wishbone with torsion bar
Suspension rear	Rigid leaf spring
Fuel tank capacity	80 L
Gcm	5650
Gvm	3150
Towing capacity - braked	2500 kg
Towing capacity - unbraked	750 kg
Overall length	5175 mm
Overall width	-
Wheel base	3040 mm
Ground clearance	210 mm


Please note: This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available please consult this specification sheet or your dealer for more information. \*Service plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.



PIK UP SC S6 4X2 AMBULANCE	
FEATURES	
Front fog lamps	•
Dual projector headlamps	•
High level brake light	•
Colour coded bumpers	Front only
Colour coded mirrors	•
Colour coded door handles	•
Mud flaps	•
Side steps	•
Internally adjusted ORVM	•

COMFORT & CONVENIENCE	
Air conditioner (Manual/electronic control)	Manual aircon
Heated rear window demister	•
Power windows front/back	•
Power steering	•
Tiltable steering	•
Central locking	•
12V Charging points	•
Integrated audio system with USB & AUX	•
Door speakers	•
Cruise control	•
Steering mounted audio & cruise control	CC only
Swivel interior reading lamps	•
Remote fuel cap (electrically/key)	•
Adjustable headrests (rear/front)	•
Upholstery	Fabric
Illuminated keyring	•

TECHNOLOGY	
Reverse camera	-
Digital immobiliser	•
Follow me home headlamps	•
Light sensing headlamps	-
Static bending headlamps	-



PIK UP SC S6 4X2 AMBULANCE
SPECIAL FITMENTS
Insulated and painted canopy built on exisisting load bin
4mm toughened and frosted side windows and rear door glass
Anti-skid shock proof flooring
Beacon lights
PA system with siren
Side blinkers
Rear footstep
Ramp
2.5kg Fire extinguisher
12V Power supply in patient cabin
Rear spot lamp
Intercom between driver and patient cabin
Lighting in patient cabin
Ventilator fans
Roll and cot stretcher - 6ft
Spine board
Bell buzzer
Seat for 3 people with storage
Electrically operated wash basin with fresh water and waste storage
Auxiliary battery fitted in rear storage compartment
Ambulance decals

SAFETY	
Anti-locking braking system (ABS)	•
Electronic brake distribution (EBD)	•
Electronic stability program (ESP)	-
Hill hold and hill descent control	-
Seat belt pretensioner	•
Air bags (driver/passenger/side/curtain)	DP
Seat belt reminders	•

WARRANTY & SERVICE INFORMATION		
Warranty	4 years/120 000 km	
Service plan	Optional	
Service intervals	20 000 km	
Roadside assistance	4 years/120 000 km	

USP'S	
Anti skid shock proof flooring	
PA system with siren	
2.5 kg Fire extinguisher	
Ventilation fans	
Seating for three people with under storage	

#### **FULL SET OF AMBULANCE DECALS**

UPPER AND LOWER STORAGE COMPARTMENTS
IN THE PATIENT CABIN

## TAKING YOUR BUSINESS TO NEW HEIGHTS WHILE ENSURING YOUR PRODUCTS REMAIN FRESH

The coolest delivery solution for your business is the Mahindra Pik Up Refrigerated Van. Our reliable, capable yet affordable S4 Single Cab is the hardest worker you'll ever have on your team. Made to inspire growth, the Mahindra Pik Up Refrigerated Van boasts with a 2.2L, 4 cylinder mHawk turbo-diesel engine. The Mahindra Refrigerated Van will take your business to new heights, whatever your requirements - we have the solution for you. Near or Far, from Fresh to Frozen goods; Medication, Vaccines and even your favourite Ice-creams - rest assured your customers get the best.

> \*The images shown are for illustration purposes only and may differ from the actual product.



PICK UP S4 REFRIGERATED VAN			
		APPLICATIONS	
TECHNICAL DATA	Fresh-Frozen Goods	Pharma- ceuticals	lce-cream
Engine capacity		2179 сс	
Number of cylinders		4	
Fuel type		Diesel	
Aspiration		Turbocharger	
Fuel injection type		Common rail	
Bore x stroke		85 x 96 mm	
Compression ratio		16.5:1	
Number of cylinders		4	
Power output	10	3 kW @ 3750 r/r	min
Torque output	320 Nr	n @ 1500 - 280	O r/min
Fuel consumption - combined		7.7 l/100 km	
CO <sub>2</sub> Emission	204 gm/km		
Emission - Euro stage	Euro 2		
Drive type	2WD		
Transmission	6-speed manual		
Mechanical differential lock	Rear axle MLD		
Wheel rim size	6.5J X 16"		
Tyre size		245/75R16	
Spare wheel	Full size spare		
Spare wheel lock		Yes	
GCM		5650 kg	
GVM		3150 kg	
Legal towing weight - braked		2500 kg	
Legal towing weight - unbraked		750 kg	
Overall length		4990 mm	
Overall width		1700 mm	
Overall height (unladen)		2540 mm*	
Minimum ground clearance	210 mm		
Wheelbase	3040 mm		
Track - front	1450 mm		
Track - rear	1450 mm		
Approach angle	34º		
Breakover angle	18º		
Departure angle	15º		
Fuel tank capacity	80 litres		
Turning radius	6.7 m		
Loading volume	Fresh-Frozen: 5 190 L	Pharmaceuti- cal: 5 560 L	Ice-Cream: 4 830 L
Loading capacity		600 kg	
Rear Doors	Double Door	Double Door	Single Door
Operating Temperature range	~0 → ~-18deg	~+2 → ~+8deg	~0 → ~-25deg

PICK UP S4 REFRIGERATED VAN	
FEATURES	ALL APPLICATIONS
New front grille with silver highlights	-
Fog lamps, new round style with silver bezel	-
New clear-lens side indicator with amber bulb	-
New clear lens dual projector headlamps	-
High-level brake light	•
One-touch lane change indicator	-
Colour-coded bumpers	-
Electric outside rear-view mirrors (ORVMs)	-
Colour-coded mirrors	-
Colour-coded door handles	-
Mud flaps	•
Side step	•
Integrated bonnet scoop	•
Side mouldings	•
Direct Drive	•
Electric standby	•

COMFORT AND CONVENIENCE	ALL APPLICATIONS
Air conditioner (Manual control)	Without
Heater and fan	•
Heated rear window demister	•
Power windows	-
Power steering	•
Tiltable steering	•
Central locking	-
Keyless entry	-
12V charging point on central bezel	•
Integrated audio system with USB & AUX	-
Swivel interior reading lamps	•
Height adjustable driver's seat	-
Arm rests for driver and passenger	-
Headrests	•
Upholstery	Vinyl
Electrically operated fuel lid	-
Illuminated key ring	•

TECHNOLOGY	ALL APPLICATIONS
Micro hybrid (Start/stop)	•
Cruise control	-
Digital immobiliser	
Follow me home headlamps	-
Automatic headlamp reminder	_

PICK UP S4 REFRIGERATED VAN		
SAFETY	ALL APPLICATIONS	
Anti-Lock Braking System (ABS)	-	
Electronic Brake Distribution (EBD)	-	
Seat Belt Pretensioned	-	
Air-Bags (Driver   Passenger)	-	
Side impact protection bars	•	
Collapsible steering column	-	
Crash bar	•	
Seat belt reminder	•	
Auto-locking doors	-	

WARRANTY AND SERVICE INFORMATION S4 - ALL APPLICATIONS		
Vehicle Warranty	4-Years/120 000 km	
Service plan** Optional		
Service intervals	20 000 km	
1st service 10 000 km, thereafter every 20 000 km (with Maximile Oils)		
Roadside Assistance** 4-Years/ 120 000 km		

**Please note:** This information is correct at the time of going to press, but performance may differ in conditions other than those in which tests were conducted. In view of our policy of continuously improving our products, we reserve the right to alter specifications and designs without prior notice and without liability. Please consult your local dealer for latest specifications. Specifications, detailing and finishes differ on the various models available please consult this specification sheet or your dealer for more information.

 $^{\star\star}\text{Service}$  plan and roadside assistance not applicable to vehicle sales in Botswana, Zambia and Zimbabwe.



<sup>\*</sup>Estimated value - actual value may differ.



Customer Care: \$\infty\$ (012) 661 3161 Email: customercare@mahindra.co.za www.mahindra.co.za

First Floor Block A Southdowns Ridge Office Park John Vorster Drive (corner Nelmapius) Southdowns Centurion P O Box 69079 Highveld Park 0169 South Africa









PLEASE NOTE: Some of the equipment shown in this brochure may not be available on all models or in all markets. Some finishes and specifications are also not available in all markets. All specifications are subject to change without notice. Please contact your local dealer for the latest information.

DATE OF PUBLICATION: 16 OCTOBER 2023 PART NO: BROCHURE 17557











MAHINDRA RECOMMENDS YOU USE ONLY





Mahindra. Unleash the Explorer in You. mahindra.co.za Ts & Cs Apply.





